

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) An article, comprising:
a fuel cell diffusion layer; and
a sulfonic acid moiety covalently bonded to the fuel cell diffusion layer,
wherein the sulfonic acid moiety has the formula RSO_3H , and R is ~~a direct bond between the sulfur atom in the sulfonic acid moiety and the fuel cell diffusion layer~~, an alkyl moiety, or an alkenyl moiety substituted with halogen, ~~an alkynyl moiety, or a heteroaryl moiety~~.
2. (Previously Presented) The article of claim 1, wherein R is a direct bond between the sulfur atom in the sulfonic acid moiety and the fuel cell diffusion layer.
3. (Original) The article of claim 1, wherein R is alkyl substituted with halogen.
4. (Currently Amended) The article of claim 1, wherein R is alkenyl substituted with ~~halogen~~ fluorine, or an alkyl moiety substituted with halogen.
5. (Original) The article of claim 1, wherein the fuel cell diffusion layer comprises carbon.
6. (Original) The article of claim 5, wherein the fuel cell diffusion layer is in the form of a sheet.
7. (Original) The article of claim 1, wherein the fuel cell diffusion layer further comprises a catalyst.

8. (Original) The article of claim 7, wherein the catalyst is Pt.
9. (Original) The article of claim 7, wherein the fuel cell diffusion layer comprises from about one weight percent to about 50 weight percent of the catalyst.
10. (Original) The article of claim 1, wherein an aqueous permeability of the article is greater than the aqueous permeability of the fuel cell diffusion layer.
11. (Original) The article of claim 1, wherein the article comprises a proton conducting material.
12. (Original) The article of claim 11, wherein the proton conducting material comprises perfluorinated sulfonic acid.
13. (Original) The article of claim 1, wherein the article has an initial contact angle with water of less than about 125°.
14. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 15% less than an initial contact angle of water with the diffusion layer.
15. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 30% less than an initial contact angle of water with the diffusion layer.
16. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 40% less than an initial contact angle of water with the diffusion layer.
17. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 20° less than an initial contact angle of water with the diffusion layer.
18. (Currently Amended) A fuel cell, comprising:

a first fuel cell flow plate;
a second fuel cell flow plate;
an electrolyte between the first and second fuel cell flow plates;
a diffusion layer between the first fuel cell flow plate and the electrolyte; and
a sulfonic acid moiety covalently bonded to the diffusion layer,
wherein the sulfonic acid moiety has the formula RSO_3H , and R is ~~a direct bond between the sulfur atom in the sulfonic acid moiety and the fuel cell diffusion layer~~, an alkyl moiety, or an alkenyl moiety substituted with halogen, ~~an alkynyl moiety, or a heteroaryl moiety.~~

19. (Original) The fuel cell system of claim 18, wherein the fuel cell is a proton-exchange membrane fuel cell.

20. (Original) The fuel cell system of claim 18, wherein the fuel cell is a direct-feed liquid fuel cell.

21. (Original) The fuel cell system of claim 18, wherein the fuel cell is a direct alcohol fuel cell.

22. (Original) The fuel cell system of claim 18, wherein the fuel cell system is a direct methanol fuel cell system.

23. (Original) The fuel cell system of claim 18, wherein the fuel cell system is a direct propanol fuel cell system.

24-32. (Cancelled).

33. (Currently Amended) An article, comprising:
a fuel cell diffusion layer; and
an acidic moiety covalently bonded to the fuel cell diffusion layer,
wherein:

the acidic moiety has the formula R-A;

A is selected from the group consisting of SO_3H , PO_3H_2 , AsO_3H_2 , and COOH ;

and

R is ~~a direct bond between the sulfur atom in the sulfonic acid moiety and the fuel cell diffusion layer~~, an alkyl moiety, or an alkenyl moiety substituted with halogen, ~~an alkynyl moiety, or a heteroaryl moiety.~~

34. (Previously Presented) The article of claim 1, wherein the fuel cell diffusion layer comprises carbon paper and the sulfonic acid moiety is covalently bonded to the carbon paper.
35. (Previously Presented) The article of claim 1, wherein the fuel cell diffusion layer comprises a carbon sheet and the sulfonic acid moiety is covalently bonded to the carbon sheet.
36. (Previously Presented) The fuel cell of claim 18, wherein the diffusion layer comprises carbon paper and the sulfonic acid moiety is covalently bonded to the carbon paper.
37. (Previously Presented) The fuel cell of claim 18, wherein the diffusion layer comprises a carbon sheet and the sulfonic acid moiety is covalently bonded to the carbon sheet.
38. (Previously Presented) The article of claim 33, wherein the fuel cell diffusion layer comprises carbon paper and the acidic moiety is covalently bonded to the carbon paper.
39. (Previously Presented) The article of claim 33, wherein the fuel cell diffusion layer comprises a carbon sheet and the acidic moiety is covalently bonded to the carbon sheet.